

Publications since 2000

1. Zeitlin J, Bonet M, Cuttini M, Piedvache A, Draper E, Jarreau P-H, Kollee L, Maier R, **Milligan D**, van Reempts P, Weber T, Barros H, Gadzinowski J. Changes in management policies for extremely preterm births and neonatal outcomes from 2003 to 2012: two population-based studies in 10 European regions. *BJOG* 2017;Mar 14 ePub ahead of print
2. Nuytten A, Behal H, Duhamel A, Jarreau PH, Mazela J, **Milligan D**, Gortner L, Piedvache A, Zeitlin J, Truffert P; EPICE (Effective Perinatal Intensive Care in Europe) Research Group. Evidence-Based Neonatal Unit Practices and Determinants of Postnatal Corticosteroid-Use in Preterm Births below 30 Weeks GA in Europe. A Population-Based Cohort Study. *PLoS One*. 2017;12:e0170234
3. Edstedt Bonamy AK, Gudmundsdottir A, Maier RF, Toome L, Zeitlin J, Bonet M, Fenton A, Hasselager AB, van Heijst A, Gortner L, **Milligan D**, Van Reempts P, Boyle EM, Norman M; and collaborators from the EPICE Research Group. Patent Ductus Arteriosus Treatment in Very Preterm Infants: A European Population-Based Cohort Study (EPICE) on Variation and Outcomes. *Neonatology*. 2017;111:367-375
4. Gortner L, Misselwitz B, **Milligan D**, Zeitlin J, Kollée L, Boerch K, Agostino R, Van Reempts P, Chabernaud JL, Bréart G, Papiernik E, Jarreau PH, Carrapato M, Gadzinowski J, Draper E; members of the MOSAIC Research Group. Rates of bronchopulmonary dysplasia in very preterm neonates in Europe: results from the MOSAIC cohort. *Neonatology*. 2011;99(2):112-7.
5. **Milligan DWA**. Outcomes of children born very preterm in Europe. *Arch Dis Child* 2010; 95:F234-F240
6. Kollé LAA , Cuttini M , Delmas D Papiernik E, den Ouden AL, Agostino R, Boerch K, Breart G, Chabernaud J-L, Draper ES, Gortner L, Künzel W, Maier RF, Mazela J, **Milligan D**, Van Reempts P, Weber T, Zeitlin J, the MOSAIC Research group. Obstetric interventions for babies born before 28 weeks of gestation in Europe: results of the MOSAIC study. *Br J Obstet Gynaecol Br J Obstet Gynaecol*. 2009;116:1481-91
7. **Milligan DWA**, Carruthers P, Mackley B, Ward Platt MP, Collingwood Y, Wooler L, Gibbons J, Draper E, Manktelow BN. Nursing workload in UK tertiary neonatal units. *Arch Dis Child* 2008; 93:1059-1064
8. Zeitlin J, Draper ES, Kollée L, **Milligan D**, Boerch K, Agostino R, Gortner L, Van Reempts P, Chabernaud JL, Gadzinowski J, Bréart G, Papiernik E; MOSAIC research group. Differences in rates and short-term outcome of live births before 32 weeks of gestation in Europe in 2003: results from the MOSAIC cohort. *Pediatrics*. 2008 Apr;121(4):e936-44.
9. Van Reempts P, Gortner L, **Milligan D**, Cuttini M, Petrou S, Agostino R, Field D, den Ouden L, Borch K, Mazela J, Carrapato M, Zeitlin J; MOSAIC Research Group. Characteristics of neonatal units that care for very preterm infants in Europe: results from the MOSAIC study. *Pediatrics*. 2007 Oct;120(4):e815-25.
10. Thayyil S, **Milligan DW**. Single versus double volume exchange transfusion in jaundiced newborn infants. *Cochrane Database Syst Rev*. 2006 Oct 18;(4):CD004592.
11. Hall CM, **Milligan DWA**, and Berrington J Probable adverse reaction to a pharmaceutical excipient *Arch. Dis. Child*. 2004; 89: F184
12. Ainsworth SB and **Milligan DWA**. Surfactant therapy for respiratory distress syndrome in Premature Neonates; a comparative review. *Am J Respir Med* 2002;1(6):417-433
13. Tucker, J McCabe, C McCabe, C Nicolson, P Tarnow-Mordi, W Marlow, N Baumer, H Boen, M Hamilton, K Meran, JA **Milligan, D** Nicoll, J Redshaw, M Rowan, K Scott, J Smith, J. Patient volume, staffing, and workload in relation to risk-adjusted outcomes in a random stratified sample of UK neonatal intensive care units: a prospective evaluation *Lancet* 2002;359
14. Ziakas NG, Cottrell DG, **Milligan DW**, Pennefather PM, Bamashmus MA, Clarke MP. Regionalisation of retinopathy of prematurity (ROP) screening improves compliance with guidelines: an audit of ROP screening in the Northern Region of England. *J Ophthalmol*. 2001 Jul;85(7):807-10.
15. Embleton ND, Deshpande SA, Scott D, Wright C, **Milligan DW**. Foot length, an accurate predictor of nasotracheal tube length in neonates. *Arch Dis Child Fetal Neonatal Ed*. 2001 Jul;85(1):F60-4.
16. **Milligan DW**, Ainsworth SB. Animal-derived or synthetic surfactant for the treatment of neonatal respiratory distress syndrome: a review. *Acta Paediatr Suppl*. 2001 Mar;90(436):25-7.
17. Tin W, **Milligan DW**, Pennefather P, Hey E. Pulse oximetry, severe retinopathy, and outcome at one year in babies of less than 28 weeks gestation. *Arch Dis Child Fetal Neonatal Ed*. 2001 Mar;84(2):F106-10.
18. **Milligan David WA** and Hughes Adrian P. Rates of neonatal resuscitation in term deliveries. *Pediatric Research* 2000;
19. Fenton A, **Milligan D**, Sturgiss S, Ainsworth S. Resourcing neonatal intensive care. *eBMJ* 2000;http://www.bmj.com/cgi/eletters/321/7263/727#EL3
20. Ainsworth SB, Beresford MW, **Milligan DW**, Shaw NJ, Matthews JN, Fenton AC, Ward Platt MP. Pumactant and poractant alfa for treatment of respiratory distress syndrome in neonates born at 25-29 weeks' gestation: a randomised trial. *Lancet*. 2000 Apr 22;355(9213):1387-92.

Books, Chapters in Books

Paediatric Grey cases for the MRCPCH. Fenton AC, Ainsworth SB, Plant ND, McGrogan PJ, **Milligan DWA**. Churchill Livingstone Eds 2002